	Application No.	Applicant(s)
Notice of Allowability	10/801,967	SHOTWELL ET AL.
	Examiner	Art Unit
	Thomas M. Sember	2885
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 08/06/07.		
2. The allowed claim(s) is/are 11,12,24 and 25.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal Pa	
	6. ☐ Interview Summary (Paper No./Mail Date	(P10-413), 8
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. X Examiner's Amendm	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	nt of Reasons for Allowance
		·

Application/Control Number: 10/801,967 Page 2

Art Unit: 2885

EXAMINER'S AMENDMENT

1. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 08/20/07 with applicant's representative Philip Kouyoumdjian, Examiner Thomas Sember requested an extension of time for one 1) MONTH(S) and authorized the Director to charge Deposit Account No. 06-0515 the required fee of \$60.00 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- 1.) In claim 24, line 1 "The art frame of claim 15 further comprising" has been changed to "A device for illuminating fluorescent art comprising"
- 2.) In claim 24, line 7, "a housing;" has been changed to - a housing; a UV light source; a UV sub-housing; a white light source; a white light sub-housing; wherein: the UV light source is contained in the UV sub housing and the white light source is contained in the white light sub-housing so that the white light source is separated from the UV light source, preventing interference between the UV light source and the white light source within the device; and --;

Art Unit: 2885

- 3.) In claim 25, line 1 "The art frame of claim 15 further comprising" has been changed to "A device for illuminating fluorescent art comprising"
- 4.) In claim 25, line 7, "a housing;" has been changed to - a housing; a UV light source; a UV sub-housing; a white light source; a white light sub-housing; wherein: the UV light source is contained in the UV sub housing and the white light source is contained in the white light sub-housing so that the white light source is separated from the UV light source, preventing interference between the UV light source and the white light source within the device; and --;

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: None of the prior art of record alone or in combination teaches or fairly suggest applicant's claimed invention for the following examiner's reasons for allowance:

None of the prior art of record alone or in combination teaches or fairly suggest the claimed details of independent claims 11-12 and 24-25 further including "a UV swivel attachment constructed and arranged to mount the UV sub-housing into the device so that the UV light source may be directed at a specific angle."

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 2885

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas M. Sember whose telephone number is 571-272-2381. The examiner can normally be reached on M-F 9 a.m.- 5.30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jong Suk (James) Lee can be reached on 571-272-7044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or \$771-273-1000

Thomas M Sember Primary Examiner Art Unit 2885